



METAL-FACH
HEATING TECHNOLOGY



PRICE LIST

Central heating boilers

Is valid from | **01.11** | **2024**

English language

GRAND PELLET



Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- ecoNET internet module;
- Self-cleaning burner;
- Automatic ceramic igniter;
- Pellet fuel;
- Vertical tubular heat exchanger;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module	Exhaust fan	Automatic ash removal system	Automatic self-cleaning exchanger system
VGP15L/P	A+	18,16 mg/m ³	15 kW	6 050,00	400,00	standard equipment	170,00	250,00	200,00	standard equipment	standard equipment	standard equipment
VGP20L/P	A+	13,92 mg/m ³	20 kW	6 215,00	400,00	standard equipment	170,00	250,00	200,00	standard equipment	standard equipment	standard equipment
VGP25L/P	A+	16,05 mg/m ³	25 kW	6 380,00	400,00	standard equipment	170,00	250,00	200,00	standard equipment	standard equipment	standard equipment
VGP34L/P	A+	16,81 mg/m ³	34 kW	7 150,00	400,00	standard equipment	170,00	250,00	200,00	standard equipment	standard equipment	standard equipment
Product code					0206MeL	0206MieN300	0206eSTERx40	0206eSTERx80	0206mrBC	0214wG2E	-	-

Lambda probe _____ Modifies the blower and feeder settings on an ongoing basis
 Room thermostat Platinum Touch x40 _____ Analog, wireless
 Room thermostat Platinum Touch x80 _____ Touch, wireless
 ecoNET Internet module _____ Wi-Fi control, wired connection

Platinum B&C Module _____ The extension module can operate as a B or C module.
 Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
 Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.

GRAND PELLET



Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- ecoNET internet module;
- Self-cleaning burner;
- 50,75 - Automatic ceramic igniter
- 100,150 - Two automatic ceramic igniters;
- Pellet fuel;
- Vertical tubular heat exchanger;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module	Exhaust fan	Automatic ash removal system	Automatic self-cleaning exchanger system
VGP50	A+	13,87 mg/m ³	50 kW	9 680,00	400,00	standard equipment	170,00	250,00	200,00	standard equipment	standard equipment	standard equipment
VGP75	A+	16,01 mg/m ³	75 kW	11 990,00	400,00	standard equipment	170,00	250,00	200,00	standard equipment	standard equipment	standard equipment
VGP100	A+	13,14 mg/m ³	100 kW	15 345,00	400,00	standard equipment	170,00	250,00	200,00	standard equipment	standard equipment	standard equipment
VGP150	A+	16,82 mg/m ³	150 kW	20 350,00	400,00	standard equipment	170,00	250,00	200,00	standard equipment	standard equipment	standard equipment
Product code					0206MeL	0206MieN300	0206eSTERx40	0206eSTERx80	0206mrBC	0214wG2E	-	-

Lambda probe _____ Modifies the blower and feeder settings on an ongoing basis
 Room thermostat Platinum Touch x40 _____ Analog, wireless
 Room thermostat Platinum Touch x80 _____ Touch, wireless
 ecoNET Internet module _____ Wi-Fi control, wired connection

Platinum B&C Module _____ The extension module can operate as a B or C module.
 Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
 Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.

GRAND PELLET



Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- ecoNET internet module;
- Self-cleaning burner;
- Two automatic ceramic igniters;
- Pellet fuel;
- Vertical tubular heat exchanger;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module	Exhaust fan	Automatic ash removal system	Automatic self-cleaning exchanger system
VGP200	A+	17,85 mg/m ³	200 kW	23 650,00	400,00	standard equipment	170,00	250,00	200,00	300,00	3 000,00	3 000,00
Product code					0206MeL	0206MieN300	0206eSTERx40	0206eSTERx80	0206mrBC	0214wG2E	-	-

Lambda probe _____ Modifies the blower and feeder settings on an ongoing basis
 Room thermostat Platinum Touch x40 _____ Analog, wireless
 Room thermostat Platinum Touch x80 _____ Touch, wireless
 ecoNET Internet module _____ Wi-Fi control, wired connection

Platinum B&C Module _____ The extension module can operate as a B or C module.
 Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
 Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.

GRAND PELLET

Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module	Exhaust fan	Automatic ash removal system	Automatic self-cleaning exchanger system
VGP300	A+	18 mg/m³	300 kW	33 000,00	400,00	standard equipment	170,00	250,00	200,00	300,00	5 000,00	7 000,00
Product code					0206MeL	0206MeN300	0206eSTERX40	0206eSTERX80	0206mrBC	0214wG2E	-	-
Lambda probe		Modifies the blower and feeder settings on an ongoing basis					Platinum B&C Module		The extension module can operate as a B or C module. Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H. Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.			
Room thermostat Platinum Touch x40		Analog, wireless										
Room thermostat Platinum Touch x80		Touch, wireless										
ecoNET Internet module		Wi-Fi control, wired connection										

Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- ecoNET internet module;
- Self-cleaning burner;
- Two automatic ceramic igniters;
- Pellet fuel;
- Horizontal tubular heat exchanger;
- Flue outlet at the back of the boiler.



GRAND PELLET

Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module	Exhaust fan	Automatic ash removal system	Automatic self-cleaning exchanger system
VGP400	A+	19 mg/m³	400 kW	41 250,00	400,00	standard equipment	170,00	250,00	200,00	300,00	5 000,00	7 000,00
VGP500	A+	19 mg/m³	500 kW	51 700,00	400,00	standard equipment	170,00	250,00	200,00	300,00	5 000,00	7 000,00
Product code					0206MeL	0206MeN300	0206eSTERX40	0206eSTERX80	0206mrBC	0214wG2E	-	-
Lambda probe		Modifies the blower and feeder settings on an ongoing basis					Platinum B&C Module		The extension module can operate as a B or C module. Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H. Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.			
Room thermostat Platinum Touch x40		Analog, wireless										
Room thermostat Platinum Touch x80		Touch, wireless										
ecoNET Internet module		Wi-Fi control, wired connection										

Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- ecoNET internet module;
- Self-cleaning burner;
- Two automatic ceramic igniters;
- Pellet fuel;
- Horizontal tubular heat exchanger;
- Flue outlet at the back of the boiler.



SLIM PELLET

Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module
VSP10	A+	17,84 mg/m³	10 kW	3 960,00	400,00	170,00	170,00	250,00	200,00
VSP15	A+	17,25 mg/m³	15 kW	4 290,00	400,00	170,00	170,00	250,00	200,00
VSP20	A+	15,82 mg/m³	20 kW	4 510,00	400,00	170,00	170,00	250,00	200,00
Product code					0206MeL	0206MeN300	0206eSTERX40	0206eSTERX80	0206mrBC
Lambda probe		Modifies the blower and feeder settings on an ongoing basis				Platinum B&C Module	The extension module can operate as a B or C module. Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H. Mode C allows you to extend the functionality of the boiler with: two additional heating circuits,		
Room thermostat Platinum Touch x40		Analog, wireless							
Room thermostat Platinum Touch x80		Touch, wireless							
ecoNET Internet module		Wi-Fi control, wired connection							

Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- Self-cleaning burner;
- Automatic ceramic igniter;
- Pellet fuel;
- Horizontal convection channels;
- Flue outlet at the back of the boiler.





SLIM PELLET MINI

Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- Self-cleaning burner;
- Automatic ceramic igniter;
- Pellet fuel;
- Horizontal convection channels;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module
VSPM10	A+	17,84 mg/m ³	10 kW	3 905,00	400,00	170,00	170,00	250,00	200,00
VSPM15	A+	17,25 mg/m ³	15 kW	4 235,00	400,00	170,00	170,00	250,00	200,00
VSPM20	A+	15,82 mg/m ³	20 kW	4 455,00	400,00	170,00	170,00	250,00	200,00
Product code					0206MeL	0206MeN300	0206eSTERX40	0206eSTERX80	0206mrBC

Lambda probe	Modifies the blower and feeder settings on an ongoing basis	Platinum B&C Module	The extension module can operate as a B or C module.
Room thermostat Platinum Touch x40	Analog, wireless		Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
Room thermostat Platinum Touch x80	Touch, wireless		Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.
ecoNET Internet module	Wi-Fi control, wired connection		



SMART PELLET WF PRO

Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- Self-cleaning burner;
- Automatic ceramic igniter;
- Pellet fuel;
- Horizontal convection channels;
- Flue outlet at the back or top of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module
VSMWFLP16L/P	A+	16,47 mg/m ³	16 kW	4 708,00	400,00	170,00	170,00	250,00	200,00
VSMWFLP20L/P	A+	17,27 mg/m ³	20 kW	4 873,00	400,00	170,00	170,00	250,00	200,00
VSMWFLP25L/P	A+	17,25 mg/m ³	25 kW	5 049,00	400,00	170,00	170,00	250,00	200,00
VSMWFLP32L/P	A+	17,02 mg/m ³	32 kW	5 247,00	400,00	170,00	170,00	250,00	200,00
Product code					0206MeL	0206MeN300	0206eSTERX40	0206eSTERX80	0206mrBC

Lambda probe	Modifies the blower and feeder settings on an ongoing basis	Platinum B&C Module	The extension module can operate as a B or C module.
Room thermostat Platinum Touch x40	Analog, wireless		Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
Room thermostat Platinum Touch x80	Touch, wireless		Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.
ecoNET Internet module	Wi-Fi control, wired connection		



SEG BIO

Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM driver;
- Gutter burner;
- Automatic ceramic igniter;
- Pellet fuel;
- Horizontal and vertical convection channels;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module
VSEGB15860L/P	A+	19 mg/m ³	15 kW	4 400,00	400,00	170,00	170,00	250,00	200,00
VSEGB20860L/P	A+	19 mg/m ³	20 kW	4 800,00	400,00	170,00	170,00	250,00	200,00
VSEGB30860L/P	A+	19 mg/m ³	30 kW	5 150,00	400,00	170,00	170,00	250,00	200,00
VSEGB40860L/P	A+	19 mg/m ³	40 kW	5 850,00	400,00	170,00	170,00	250,00	200,00
VSEGB50860L/P	A+	19 mg/m ³	50 kW	7 100,00	400,00	170,00	170,00	250,00	200,00
VSEGB75860L/P	A+	19 mg/m ³	75 kW	8 900,00	400,00	170,00	170,00	250,00	200,00
Product code					0206MeL	0206MeN300	0206eSTERX40	0206eSTERX80	0206mrBC

Lambda probe	Modifies the blower and feeder settings on an ongoing basis	Platinum B&C Module	The extension module can operate as a B or C module.
Room thermostat Platinum Touch x40	Analog, wireless		Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
Room thermostat Platinum Touch x80	Touch, wireless		Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.
ecoNET Internet module	Wi-Fi control, wired connection		



SEG PELLET

Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM controller;
- Self-cleaning burner;
- Automatic ceramic igniter;
- Pellet fuel;
- Horizontal and vertical convection channels;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module
VSEGPEL42L+/P+	A+	19 mg/m ³	42 kW	6 820,00	400,00	170,00	170,00	250,00	200,00
VSEGPEL60L+/P+	A+	20 mg/m ³	60 kW	7 920,00	400,00	170,00	170,00	250,00	200,00
VSEGPEL75L+/P+	A+	19 mg/m ³	75 kW	9 900,00	400,00	170,00	170,00	250,00	200,00
VSEGPEL100L+/P+	A+	20 mg/m ³	100 kW	12 100,00	400,00	170,00	170,00	250,00	200,00
Product code					0206MeL	0206MieN300	0206eSTERX40	0206eSTERX80	0206mrBC

Lambda probe _____ Modifies the blower and feeder settings on an ongoing basis
Room thermostat Platinum Touch x40 _____ Analog, wireless
Room thermostat Platinum Touch x80 _____ Touch, wireless
ecoNET Internet module _____ Wi-Fi control, wired connection

Platinum B&C Module _____ The extension module can operate as a B or C module.
Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.



SD DUO BIO

Key information:

- 5 year warranty (Conditions in DTR);
- PLATINUM Pellet controller;
- Gutter burner;
- Automatic ceramic igniter;
- Pellet fuel;
- Horizontal and vertical convection channels;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module
VSDDb16860L/P	A+	14 mg/m ³	16 kW	4 600,00	400,00	170,00	170,00	250,00	200,00
VSDDb20860L/P	A+	26 mg/m ³	20 kW	4 900,00	400,00	170,00	170,00	250,00	200,00
VSDDb34860L/P	A+	14 mg/m ³	28 kW	5 200,00	400,00	170,00	170,00	250,00	200,00
VSDDb34860L/P	A+	10 mg/m ³	34 kW	5 500,00	400,00	170,00	170,00	250,00	200,00
Product code					0206MeL	0206MieN300	0206eSTERX40	0206eSTERX80	0206mrBC

Lambda probe _____ Modifies the blower and feeder settings on an ongoing basis
Room thermostat Platinum Touch x40 _____ Analog, wireless
Room thermostat Platinum Touch x80 _____ Touch, wireless
ecoNET Internet module _____ Wi-Fi control, wired connection

Platinum B&C Module _____ The extension module can operate as a B or C module.
Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.



SEMAX BASIC DUO

Key information:


- 5-year warranty (Conditions in the DTR);
- PLATINUM Pellet driver;
- Self-cleaning burner;
- Automatic ceramic igniter;
- Wood gasification boiler;
- The device enables pellet combustion in automatic mode;
- Exhaust fan;
- Horizontal convection channels;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module
VSEMBD15	A+	17 mg/m ³	15 kW	4 600,00	400,00	170,00	170,00	250,00	200,00
VSEMBD20	A+	19 mg/m ³	20 kW	4 900,00	400,00	170,00	170,00	250,00	200,00
Product code					0206MeL	0206MieN300	0206eSTERX40	0206eSTERX80	0206mrBC

Lambda probe _____ Modifies the blower and feeder settings on an ongoing basis
Room thermostat Platinum Touch x40 _____ Analog, wireless
Room thermostat Platinum Touch x80 _____ Touch, wireless
ecoNET Internet module _____ Wi-Fi control, wired connection

Platinum B&C Module _____ The extension module can operate as a B or C module.
Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.



SEM MAX BASIC

Key information:

- 5-year warranty (Conditions in the DTR);
- Thrust regulator;
- Fuel firewood;
- Wood gasification boiler;
- Draft regulator, thermometer;
- Horizontal convection channels;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	ST 880 PID exhaust set + exhaust fan
VSEMB15	A+	20 mg/m ³	15 kW	2 310,00	700,00
VSEMB20	A+	18 mg/m ³	20 kW	2 420,00	700,00
VSEMB30	A+	19 mg/m ³	30 kW	2 860,00	700,00
VSEMB40	A+	19 mg/m ³	40 kW	3 300,00	700,00
Product code				zwb	



SMART EKO PLUS

Key information:

- 5-year warranty (Conditions in the DTR);
- PLATINUM driver;
- ecoNET internet module;
- Automatic igniter;
- Ekoenergia II burner;
- Eco-pea fuel;
- Vertical convection channels;
- Flue outlet at the back of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO	Lambda probe	ecoNET internet module	Room thermostat Platinum Touch x40	Room thermostat Platinum Touch x80	PLATINUM B&C module
VSMEP15860L/P	B	23,35 mg/m ³	15 kW	4 235,00	400,00	170,00	170,00	250,00	200,00
VSMEP20860L/P	B	22,58 mg/m ³	20 kW	4 455,00	400,00	170,00	170,00	250,00	200,00
VSMEP25860L/P	B	23,19 mg/m ³	25 kW	4 675,00	400,00	170,00	170,00	250,00	200,00
Product code					0206MeL	0206MieN300	0206eSTERX40	0206eSTERX80	0206mrBC

Lambda probe _____ Modifies the blower and feeder settings on an ongoing basis
Room thermostat Platinum Touch x40 _____ Analog, wireless
Room thermostat Platinum Touch x80 _____ Touch, wireless
ecoNET Internet module _____ Wi-Fi control, wired connection

Platinum B&C Module _____ The extension module can operate as a B or C module.
Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H.
Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.



SMART EKO

Key information:

- 5-year warranty (Conditions in the DTR);
- TECH ST483 controller;
- Ekoenergia II burner;
- Eco-pea coal fuel;
- Horizontal convection channels;
- Flue outlet at the back or top of the boiler.



Product code	Class energy class	Emissivity of particles solids	Boiler power	Price EURO
VSME12483L/P	B	26,32 mg/m ³	12 kW	3 795,00
VSME15483L/P	B	23,35 mg/m ³	15 kW	3 960,00
VSME20483L/P	B	22,58 mg/m ³	20 kW	4 125,00
VSME25483L/P	B	23,19 mg/m ³	25 kW	4 235,00
VSME30483L/P	B	23,08 mg/m ³	30 kW	4 400,00
Product code				

ACCESSORIES FOR CENTRAL HEATING BOILERS

Product code		Product name	Price
0206MeL		Lambda probe Modifies the blower and feeder settings on an ongoing basis.	400,00
			
0206MieN300		ecoNET Internet Module Wi-Fi control, wired connection.	170,00
			
0206eSTERx40		Room Thermostat Platinum Touch x40 Analog, wireless.	170,00
			
0206eSTERx80		Room Thermostat Platinum Touch x80 Touch, wireless.	250,00
			
0206mrBC		Platinum B&C Module The extension module can operate as a B or C module. Mode B allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat, output H. Mode C allows you to extend the functionality of the boiler with: two additional heating circuits, 2x pumps, 2x mixer, 2x universal thermostat.	200,00
			
0214wG2E		Exhaust fan The exhaust fan supports the process of removing exhaust gases from the boiler.	300,00
			
zwb		ST 880 PID exhaust set + exhaust fan The controller also supports the buffer tank, required for installing the central heating boiler. The exhaust fan supports the process of removing exhaust gases from the boiler.	700,00
			



METAL-FACH
HEATING TECHNOLOGY

Paweł Czepiel
Sales Specialist
(English, Russian)
E-mail: p.czepiel@metalfach.com.pl
Phone: +48 663 453 222

Przemysław Wdowiak
Director of sales
(English, Russian)
E-mail: przemek@metalfach.com.pl
Phone: +48 695 056 362



METAL-FACH Technika Grzewcza Sp. z o.o.
st. Sikorskiego 66, 16-100 Sokółka, Poland, Phone +48 85 711 94 54

METAL-FACH Technika Grzewcza Sp. z o.o. reserves the right to introduce changes in technical parameters, equipment and specifications of the offered goods without prior notice.

